


## CabCube® 1.0

9 Feet



1210 x 1010 x 990 mm







| Technical Data    | Bottom<br>support | External<br>Dimensions (mm) | Internal<br>Dimensions (mm) | Maximum Load Capacities (kg) |         |         |
|-------------------|-------------------|-----------------------------|-----------------------------|------------------------------|---------|---------|
|                   |                   |                             |                             | Stacking                     | Dynamic | Racking |
| CabCube® 1.0 (9F) | 9 feet            | 1210 x 1010 x 990           | 1140 x 940 x 816            | 1450                         | 500     | _       |

## enefits

- Ergonomic design with optimal handling through handles on the lid
- 2. Large hatch for easy access to stored goods
- 3. Proper stacking through perfect lid-feet design
- 4. Reinforced sleeve for increased protection
- Reusable product, 100% recyclable, base and lid made of recycled plastic

### 1.

- 1. Returnable collar
- 2. RFID transponders and other IoT options
- 3. Customizable sleeve dimensions
- 4. Customizable sleeve design
- 5. Individual marking and labeling
- 6. ESD: conductive
- 7. Also available with closed pallet deck





# CabCube® 1.0

9 Feet



1210 x 1010 x 990 mm


| Standard<br>Components                   | Base    | Sleeve (optional)   | Lid  |  |
|--|---------|---------------------|--|--|
| 14 (14 (14 (14 (14 (14 (14 (14 (14 (14 ( |         | Samuel .            | The same of the sa |  |
| Weight                                   | 20,0 kg | 11,0 kg             | 8,5 kg   |  |
| Material                                 | PE      | PP                  | PE   |  |
| Dimensions 1210 x 1010 x 200 mm          |         | 1160 x 962 x 850 mm | 1185 x 989 x 72 mm   |  |

| Technical Data       | CabCube <sup>®</sup> 1.0<br>9 Feet |
|----------------------|------------------------------------|
| Filling Volume       | 875 L                              |
| Height of folded box | 222 mm                             |
| Nesting Space        | 26 mm                              |
| Weight               | 39 kg                              |
| Entries              | 4 way                              |
| Sleeve Thickness     | 10,4 mm                            |
| Sleeve Density       | 3000 gr/m <sup>2</sup>             |

| Maximum<br>Load Capacities |         |
|----------------------------|---------|
| Filling weight             | 500 kg  |
| Stacking load              | 1450 kg |
| Stacking factor            | 1+5     |
| Dynamic load               | 500 kg  |

| <b>Mega Truck</b> (13,6 x 2,48 x 3,0 m) |
|---|
| 3                                       |
| 78                                      |
| 14                                      |
| 364                                     |
| 1: 4,7                                  |
| 79 %                                    |
|   |

#### Stacking scenarios



in Mega Truck
Return Ratio
1: 4,7

| N.A | ~~~ | trai | ٠  | 4:1 | :   | tion. |   |
|-----|-----|------|----|-----|-----|-------|---|
| IVI | ega | trai | er | uui | IZa | LIOI  | 1 |

### Full containers





