

# CabCube® 1612

**9 Feet**


63.4 x 47.6 x 29.5 in



Technical Data	Bottom support	External Dimensions (in)	Internal Dimensions (in)	Maximum Load Capacities (lbs)		
				Static	Dynamic	Racking
CabCube® 1612 (9F)	9 feet	63.4 x 47.6 x 29.5	61 x 45 x 22	2800	800	-

**Benefits**

1. Increased base surface area for bigger goods
2. Optimal for stacking stability and fit
3. Ergonomic design through hinged lid
4. Secured folded unit with protective sleeve
5. Reusable product, 100% recyclable, base and lid made of recycled plastic





**Options**

1. RFID transponders and other IoT options
2. Customizable sleeve dimensions
3. Customizable sleeve design
4. Individual marking and labeling
5. ESD: conductive


# CabCube® 1612

**9 Feet**



63.4 x 47.6 x 29.5 in

Standard Components	Base	Sleeve (optional)	Lid
			
Weight	57,5 lbs	27,5 lbs	23,0 lbs
Material	PE	PP	PE
Dimensions	63.4 x 47.6 x 7.5 in	61.4 x 45.7 x 24.4 in	62.4 x 46.7 x 3.9 in

Technical Data	CabCube® 1612 9 Feet
Filling Volume	35 ft <sup>3</sup>
Height of folded box	9,9 in
Nesting Space	0,83 in
Weight	110 lbs
Entries	4 way
Sleeve Thickness	0.87 in
Sleeve Density	88,5 oz./yard <sup>2</sup>

**Stacking scenarios**


Maximum Load Capacities	
Filling weight	800 lbs
Stacking load	2800 lbs
Stacking factor	1+4
Dynamic load	800 lbs

**in Mega Truck**

**Return Ratio**  
1 : 3,25


Truck Loads	Mega Truck (44,6 x 8,1 x 9,8 ft)
unfolded per stack	4
unfolded total	64
folded per stack	12
folded total	192
Return ratio	1 : 3,25
Volume reduction	69 %

**Megatrailer utilization**
**Full containers**

**Empty containers**
